

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	38	beringer-joerg.in.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/04/16 09:04
S2	14	S1 and (resource and profile)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 09:17
S3	3	haeussler-annette.in.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 09:20
S4	33	nieves-sandra.in.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 09:21
S5	1	S1 and S3 and S4	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 10:40
S6	42580	("707").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 10:40
S7	8128	(707/3).CQLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 10:41
S8	63	search\$3 near (source data resource document people) near profile	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 10:58
S9	6	(search\$3 near (source data resource document people) near profile).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 10:48
S10	0	(search\$3 near (source data resource document people) near profile).ti.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 10:48
S11	8	(search\$3 near profile).ti.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 10:51
S12	70	(search\$3 near profile).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 10:53
S13	7	(receiv\$3 get\$4 accept acquir\$4) near (characteristic attribute propert\$3 feature facet) near (resource source document people book) near (user end? user person one individual searcher requestor looker)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 11:50

S14	1	(receiv\$3 get\$4 accept acquir\$4) near (characteristic attribute propert\$3 feature facet) near (search\$3 extract\$3 query\$3 locat\$3 look\$3) near (resource source document people book) near (profile preference characteristic)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 10:57
S15	7	S8 and S12	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 11:03
S16	19	S7 and S12	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 11:13
S17	37	S6 and S12 not S15	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 11:23
S18	44	S6 and S12	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 11:14
S19	11	(US-20050086204-\$).did. or (US-6915295-\$ or US-6895406-\$ or US-6757691-\$ or US-7054860-\$ or US-6119114-\$ or US-7152063-\$ or US-6907423-\$ or US-6199067-\$ or US-5721906-\$ or US-6732358-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/04/16 11:35
S20	7	S19 and (narrow\$3 refin\$4 filter\$4)	US-PGPUB; USPAT	OR	OFF	2007/04/16 11:39
S21	2	S19 and ((narrow\$3 refin\$4 filter\$4)near (search result output))	US-PGPUB; USPAT	OR	OFF	2007/04/16 11:39
S22	5537	((search\$3 extract\$ query\$3 locat\$3 look\$3) same profile).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/17 09:12
S23	356	S6 and S22	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 11:51
S24	774	S23 ((receiv\$3 get\$4 accept acquir\$4) near (additiona extra more new further other supplement\$3) same (characteristic attribute propert\$3 feature facet keyword) same (narrow\$3 refin\$4 refinement))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 11:57
S25	0	S23 and ((receiv\$3 get\$4 accept acquir\$4) near (additiona extra more new further other supplement\$3) same (characteristic attribute propert\$3 feature facet keyword) same (narrow\$3 refin\$4 refinement))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 11:58

S26	0	S22 and ((receiv\$3 get\$4 accept acquir\$4) near (additiona extra more new further other supplement\$3) same (characteristic attribute propert\$3 feature facet keyword) same (narrow\$3 refin\$4 refinement))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 11:57
S27	1	S23 and ((receiv\$3 get\$4 accept acquir\$4) same (additiona extra more new further other supplement\$3) same (characteristic attribute propert\$3 feature facet keyword) same (narrow\$3 refin\$4 refinement))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 11:59
S28	0	((receiv\$3 get\$4 accept acquir\$4) near (additiona extra more new further other supplement\$3) near (characteristic attribute propert\$3 feature facet keyword) near (narrow\$3 refin\$4 refinement)near (search\$3 quer\$4 look\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:02
S29	1058707	((receiv\$3 get\$4 accept acquir\$4) near (additiona extra more new further other supplement\$3) near (characteristic attribute propert\$3 feature facet keyword) same (narrow\$3 refin\$4 refinement) (search\$3 quer\$4 look\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:02
S30	0	((receiv\$3 get\$4 accept acquir\$4) near (additiona extra more new further other supplement\$3) near (characteristic attribute propert\$3 feature facet keyword) same (narrow\$3 refin\$4 refinement)near (search\$3 quer\$4 look\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:03
S31	0	((receiv\$3 get\$4 accept acquir\$4) near (additiona extra more new further other supplement\$3) near (characteristic attribute propert\$3 feature facet keyword) same (narrow\$3 refin\$4 refinement)near(search\$3 quer\$4 look\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:03
S32	0	((receiv\$3 get\$4 accept acquir\$4) near (additiona extra more new further other supplement\$3) near (characteristic attribute propert\$3 feature facet keyword) same (narrow\$3 refin\$4 refinement)same(search\$3 quer\$4 look\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:04

S33	43	((receiv\$3 get\$4 accept acquir\$4) near (additiona extra more new further other supplement\$3) same (characteristic attribute propert\$3 feature facet keyword) same (narrow\$3 refin\$4 refinement) same (search\$3 quer\$4 look\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:13
S34	16	S6 and S33	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:05
S35	27	S33 not S34	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:12
S36	80	((additiona extra more new further other supplement\$3) near (characteristic attribute propert\$3 feature facet keyword) same (narrow\$3 refin\$4 refinement) near (search\$3 quer\$4 look\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:40
S37	3	((additiona extra more new further other supplement\$3) near (characteristic attribute propert\$3 feature facet keyword) near (narrow\$3 refin\$4 refinement) near (search\$3 quer\$4 look\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:28
S38	9157	((narrow\$3 refin\$4 refinement) near (result hit ?list match\$2 match ?list search ?result))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:36
S39	125	((narrow\$3 refin\$4 refinement) near (result hit ?list match\$2 match ?list search ?result)).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:33
S40	13	S39 and S6	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:33
S41	84	((narrow\$3 refin\$4 refinement) near (result hit ?list match\$2 match ?list search ?result) near (additiona extra more new further other supplement\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:55
S42	9	S41 and S6	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:37
S43	1001	((additiona extra more new further other supplement\$3) near (characteristic attribute propert\$3 feature facet keyword) same (narrow\$3 refin\$4 refinement) and (search\$3 quer\$4 look\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 13:25
S44	39	((additiona extra more new further other supplement\$3) near (characteristic attribute propert\$3 feature facet keyword) near (narrow\$3 refin\$4 refinement) and (search\$3 quer\$4 look\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:42

S45	27	S44 and (@ad<="20031212" @pd<="20031212" @prad<="20040408")	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 10:05
S46	4	S45 and S6	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:44
S47	125	((narrow\$3 refin\$4 refinement) near(result hit hit?list match\$2 match?list search?result)).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:55
S48	109	S47 and (@ad<="20031212" @pd<="20031212" @prad<="20040408")	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 13:51
S49	11	S6 and S48	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 12:56
S50	4	((additiona extra more new further other supplement\$3) near (narrow\$3 refin\$4 refinement) near(search\$3 quer\$4 look\$3) near (user end?user searcher looker viewer person))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 13:51
S51	466	((narrow\$3 refin\$4 refinement) near(search\$3 quer\$4 look\$3 result hit match)near (user end? user searcher looker viewer person))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 13:50
S52	294	S6 and S51	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 13:51
S53	216	S52 and (@ad<="20031212" @pd<="20031212" @prad<="20040408")	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 13:51
S54	0	S53 and ((additiona extra more new further other supplement\$3) near(narrow\$3 refin\$4 refinement)near(search\$3 quer \$4 look\$3)near (user end?user searcher looker viewer person)). ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 13:52
S55	113	S53 and S7	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 16:19
S56	2	("6324534").FN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 15:45
S57	122	"55" and ((sort\$3 group order\$3 segment\$3 componentiz\$3 devid \$3)near (resource source data result document) near (attribute facet characteristic))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 16:23

S58	42580	("707").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:23
S59	8128	(707/3).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/16 16:23
S60	466	((narrow\$3 refin\$4 refinement) near(search\$3 quer\$4 look\$3 result hit match)near (user end? user searcher looker viewer person))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 16:23
S61	294	S58 and S60	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 16:23
S62	216	S61 and (@ad<="20031212" @pd<="20031212" @prad<="20040408")	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 16:23
S63	113	S62 and S59	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 16:23
S64	0	S63 and ((sort\$3 group order\$3 segment\$3 componentiz\$3 devid \$3)near (resource source data result document) near (attribute facet characteristic))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 16:24
S65	23	S63 and ((sort\$3 group order\$3 segment\$3 componentiz\$3 devid \$3)near (resource source data result document))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/16 16:24
S66	18	((US-20030130994-\$ or US- 20030217052-\$ or US- 20040083213-\$ or US- 20050086204-\$).did. or (US- 7152063-\$ or US-6907423-\$ or US-6199067-\$ or US-6119114-\$ or US-6944612-\$ or US-6766316- \$ or US-7054860-\$ or US- 6732358-\$ or US-6813618-\$ or US-6895406-\$ or US-6915295-\$ or US-6757691-\$ or US-5721906- \$ or US-6850900-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/04/17 09:03
S67	13	S66 and profile	US-PGPUB; USPAT	OR	OFF	2007/04/17 09:03
S68	10	S66 and (profile).ab.	US-PGPUB; USPAT	OR	OFF	2007/04/17 09:03
S69	0	((search\$3 extract\$ query\$3 locat \$3 look\$3) near resource near profile).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/17 09:13
S70	17	((search\$3 extract\$ query\$3 locat \$3 look\$3) same resource near profile).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/17 12:10

S71	2	("20030130994").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 14:46
S72	2	("20040133413").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 16:04
S73	0	("2050086204").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 16:04
S74	2	("20050086204").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 18:17
S75	146	((segment\$3 group\$3 divid\$3 partition\$3 segment\$3) near (hit match\$2 results output) near (facet attribut factor))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/17 18:23
S76	8138	(/707/3).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 18:23
S77	0	S75 and S76	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/17 18:24
S78	42616	("707").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/17 18:25
S79	1	S75 and S78	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/17 18:24
S80	13	S75 and (search\$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/04/17 18:25
S81	66	((search\$3 query\$3 quaries)near template).ab.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 10:05
S82	48	S81 and (@ad<="20031212" @pd<="20031212" @prad<="20040408")	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 10:18
S83	8138	(/707/3).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 10:06

S84	12	S82 and S83	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 13:31
S85	749	(search\$3 near template near auto?configur\$3 auto? configuration)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 10:19
S86	48	S82 and (@ad<="20031212" @pd<="20031212" @prad<="20040408")	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 10:18
S87	12	S83 and S86	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 10:18
S88	1	(search\$3 near template near (auto?configur\$3 auto? configuration))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 10:20
S89	1	(search\$3 near template same (auto?configur\$3 auto? configuration))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 10:20
S90	2	(search\$3 near template near (auto automatical\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 10:21
S91	59	(search\$3 near template same (auto automatical\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 10:21
S92	2	S91 and S83	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 10:21
S93	1119	auto?configur\$5	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 13:33
S94	4	S93 and ((search\$3 query\$3) near template)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/04/18 13:41
S95	2	("20030130994").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 13:43
S96	2	("5721906").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 13:47
S97	182	((automatic automatical\$3) near (configuration configur\$4 customiz\$3 customization)near (template display screen))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/04/18 13:54
S98	8138	(707/3).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 13:52
S99	1	S97 and S98	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/04/18 13:52

S100	42616	("707").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/18 13:52
S101	13	S97 and S100	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/04/18 13:52
S102	28	((automatic automatic\$3) near configuration configur\$4 customiz\$3 customization)near (template screen))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	OFF	2007/04/18 13:54
S103	757	((receiv\$4 get\$4 accept acquir\$3 obtain\$3) same (second\$3 more extra further other another) same (attribute characteristic facet criter\$3 key?word keyword) same (refin\$3 narrow\$) same search\$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/18 17:14
S104	19	S103 and ((receiv\$4 get\$4 accept acquir\$3 obtain\$3) same (second\$3 more extra further other another) near (attribute characteristic facet criter\$3 key? word keyword) same (refin\$3 narrow\$) near search\$3)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/18 17:36
S105	10	S104 and @ad<"20021225"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/18 17:40
S106	9	S104 not S105	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/18 17:39
S107	8979	(707/3).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 17:39
S108	62074	("707").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 17:39
S109	101	S103 and S107	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 17:39
S110	222	S103 and S108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/18 17:39
S111	41	S109 and @ad<"20021225"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/18 17:40

S112	37	S111 not S104	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2007/10/18 17:40
S113	919	((edit\$3 writ\$3 typ\$3 creat\$3 correct\$3 modif\$3 publish\$3 revis \$3 rewrit\$3 rework\$3 generat\$3 produc\$3 compos\$3) near3 ((source data resource document people) adj1 profile)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/06/30 11:29
S114	292	S113 and ((edit\$3 writ\$3 typ\$3 creat\$3 correct\$3 modif\$3 publish \$3 revis\$3 rewrit\$3 rework\$3 generat\$3 produc\$3 compos\$3) near2 (approv\$3 accept\$3 agree \$3 allow\$3 authoriz\$3 authoris\$3 endors\$3 okey\$3 confirm\$3 affirm \$3 ratif\$3))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/06/30 11:33
S115	62	S114 and ((edit\$3 writ\$3 typ\$3 creat\$3 correct\$3 modif\$3 publish \$3 revis\$3 rewrit\$3 rework\$3 generat\$3 produc\$3 compos\$3) with (approv\$3 accept\$3 agree\$3 allow\$3 authoriz\$3 authoris\$3 endors\$3 okey\$3 confirm\$3 affirm \$3 ratif\$3) with ((source data resource document people) adj1 profile))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/06/30 11:34
S116	39	S115 and @ad<"20021223"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2008/06/30 11:36
S117	26	"20020087600".pn. "20020138331".pn. "20040098467".pn. "5754939". pn. "6167564".pn. "6185587".pn. "6327328".pn. "6643661".pn. "6668353".pn. "6697865".pn. "7054923".pn. "7124355".pn. "7177924".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/30 17:36
S118	6	"20020059379".pn. "7222369". pn. "7340679".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/06/30 17:40
S119	13712	(select\$3 choos\$3 pick\$3 elect \$3) with (ui interface) with (layout design format outline arrangement model)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/02 17:21
S120	53	(select\$3 choos\$3 pick\$3 elect \$3) adj1 (ui interface) near1 (layout design format outline arrangement model))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/02 17:22
S121	4	(select\$3 choos\$3 pick\$3 elect \$3) near1 (ui interface) near1 (layout design format outline arrangement model) with (key keyword key?word attribute feature)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/02 17:34

S122	95	(select\$3 choos\$3 pick\$3 elect\$3) with (ui interface) near1 (layout design format outline arrangement model) with (key keyword key?word attribute feature)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/02 17:37
S123	10	(select\$3 choos\$3 pick\$3 elect\$3) near2 (ui interface) near1 (layout design format outline arrangement model) with (key keyword key?word attribute feature)	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/02 17:38
S124	294	(select\$3 choos\$3 pick\$3 elect\$3) near2 (((ui interface) near1 (layout design format outline arrangement model)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/04 21:46
S125	141	(select\$3 choos\$3 pick\$3 elect\$3) near1 (((ui interface) near1 (layout design format outline arrangement model)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/04 21:46
S126	93	S125 and @ad<="20031223"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/04 21:48
S127	75	S125 and @ad<="20021223"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/04 21:49
S128	570	(select\$3 choos\$3 pick\$3 elect\$3) with (((ui interface) near1 (layout arrangement format)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/04 22:18
S129	161119	"707".clas. "715".clas. "709".clas.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/04 22:19
S130	143	S128 and S129	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/04 22:19
S131	75	S130 and @ad<="20021223"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/04 22:27
S132	570	(select\$3 choos\$3 pick\$3 elect\$3) with (((ui interface) near1 (layout arrangement format)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/05 10:28
S133	165	S132 and (select\$3 choos\$3 pick\$3 elect\$3) near2 (((ui interface) near1 (layout arrangement format)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/05 10:28
S134	90	S133 and @ad<="20021223"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/05 10:29
S135	161119	"707".clas. "715".clas. "709".clas.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/05 10:30
S136	143	S132 and S135	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/05 10:30

S137	75	S136 and @ad<="20021223"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/05 10:30
S138	73	S134 not S137	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/05 10:30
S139	2	"5721906".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/05 11:27
S140	64	(select\$3 choos\$3 pick\$3 elect \$3) adj3 (((ui interface) adj1 (layout arrangement format)))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/05 12:14
S141	52	S140 and @ad<="20021223"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/05 12:15
S142	29	(select\$3 choos\$3 pick\$3 elect \$3) with (((ui interface) near (layout arrangement format)) with (based according))	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/05 12:37
S143	12	S142 and @ad<="20021223"	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/01/05 12:37
S144	6	"5802499".pn. "6003011".pn. "6959268".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/05 14:52
S145	1449	(second\$3 another more other) adj1 (narrow\$3 refin\$3) with (hit result output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/07/30 13:45
S146	2115	(second\$3 another more other) adj1 (narrow\$3 refin\$3) with (hit result output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/30 13:46
S147	91617	"707".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/30 13:54
S148	97	S146 and S147	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/30 13:55
S149	49	S148 and ((second\$3 another more other) adj1 (narrow\$3 refin \$3) near3 (hit result output list))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/30 13:56

S150	8	"6944612".pn. "7096218".pn. "6591261".pn. "6006225".pn. "2000533230".pn. "2002421650". pn. "200528127".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/04 10:19
S151	0	"2000528127".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/04 10:47
S156	3	09/528127	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/04 10:57
S157	20674	((search\$3 look\$3) with profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/04 13:01
S158	9449	S157 and ((creat\$3 generat\$3 product\$3 mak\$3 build\$3 construct\$3 fabricat\$3 compos\$3 formulat\$3 originat\$3) near3 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/04 13:03
S159	4198	S158 and ((edit\$3 modify\$3 chang\$3 updat\$3 alter\$3) near3 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/04 13:04
S160	2636	S159 and (profile with (resource people book documents person object product))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/04 13:06
S161	2841	S159 and (profile with (resource people book documents person object product item))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/04 13:06
S162	1621	S161 and ((user viewer customer) with (edit\$3 modify\$3 chang\$3 updat\$3 alter\$3) near3 profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/04 13:07
S163	259	S162 and ((narrow\$3 refin\$3) with (search\$3 hit result))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/04 13:08
S164	94	S163 and ((stor\$3 sav\$3 keep\$3 maintain\$3 record\$3) near3 (hit result))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/04 13:14

S165	27	S164 and @ad<"20021223"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/04 13:16
S166	42157	((second\$3 multiple) near3 (narrow\$3 refin\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/04 14:17
S167	6	S163 and S166	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/04 14:17
S168	27472	((second\$3 multiple) near2 (narrow\$3 refin\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/04 14:20
S169	1601	S168 and ((narrow\$3 refin\$3) near4 (search\$3 hit result))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/04 14:26
S170	10155	707/??ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/04 14:29
S171	15	S169 and S170	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/04 14:29
S172	2	"6571234".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/04 14:32
S173	13772	profile near2 (resource book product people person)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 11:56
S174	5197	S173 and (profile near1 (resource book product))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 11:57
S175	801	S174 and (profile near1 resource)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 11:57

S176	52	S175 and ((search\$3 look\$3 quer\$3) with (profile near1 resource))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 11:58
S177	19	S175 and ((refin\$3 narrow\$3) with (search\$3 look\$3 quer\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 11:59
S178	2	"7096218".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/05 13:05
S179	35	(US-20030069880-\$ or US-20040083213-\$ or US-20030130994-\$ or US-20050086204-\$ or US-20030217052-\$ or US-20010047363-\$ or US-20010003183-\$ or US-20030229538-\$ or US-20030182260-\$ or US-20020188597-\$ or US-20020087600-\$ or US-20030046401-\$ or US-20040027378-\$ or US-20020075300-\$ or US-20020059201-\$).did. or (US-6813618-\$ or US-6915295-\$ or US-6895406-\$ or US-6757691-\$ or US-6944612-\$ or US-6766316-\$ or US-6199067-\$ or US-6119114-\$ or US-5721906-\$ or US-7152063-\$ or US-6907423-\$ or US-6850900-\$ or US-7054860-\$ or US-6636837-\$ or US-6886006-\$ or US-6820082-\$ or US-7216298-\$ or US-7424438-\$ or US-6571234-\$ or US-6701311-\$).did.	US-PGPUB; USPAT	OR	OFF	2009/08/05 14:24
S180	20	S179 and ((narrow\$3 filter\$3 refin\$3) near3 (search\$3 list result hit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 14:25
S181	11	S180 and ((filter\$3) near3 (search\$3 list result hit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 14:26
S182	6218	(filter near3 (narrow\$3 filter\$3 refin\$3) near3 (search\$3 list result hit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 15:05

S183	661	(filter near3 (narrow\$3 refin\$3) near3 (search\$3 list result hit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 15:06
S184	146	S183 and ((categoriz\$3 categoris\$3 classify\$3 group\$3) near3 (list result hit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 15:11
S185	106	S183 and ((rank\$3 sort\$3 categoriz\$3 categoris\$3 classify\$3 group\$3) near3 (list result hit) same (statistic scor\$3 coeffecient co?effecient))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 15:13
S186	90	S185 and resource	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 15:21
S187	1	S185 and (filter\$3 with resource)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 15:22
S188	94	S185 and (filter\$3 with (type class kind categor\$3 group))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 15:25
S189	3	S188 and @ad<"20021223"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 15:25
S190	4	S185 and @ad<"20021223"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 15:26
S191	15	S184 and @ad<"20021223"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 15:27
S192	385	S183 and (filter\$3 with (type class kind categor\$3 group))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 15:36
S193	158	S192 and @ad<"20021223"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 15:36

S194	47	S193 and resource	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 15:37
S195	31	S194 and (sort\$3 rank\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 15:38
S196	17	S195 and ((rank\$3 sort\$3 categoriz\$3 categoris\$3 classify \$3 group\$3) same (statistic scor \$3 coeffecient co?effecient))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 15:38
S197	88	(filter near3 (narrow\$3 refin\$3) near3 (search\$3 list result hit) near2 (type group categor\$3 class))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 16:40
S198	117	(filter near3 (narrow\$3 refin\$3) near3 (search\$3 list result hit) with (type group categor\$3 class))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 16:41
S199	18	S198 and @ad< "20021223"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 16:41
S200	53	((narrow\$3 refin\$3 filter\$3) adj3 ((narrowed refined) adj1 (search \$3 list result hit)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:08
S201	12	S200 and @ad< "20021223"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:08
S202	60	((((narrowed refined) adj1 (search \$3 list result hit)) adj3 (narrow\$3 refin\$3 filter\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:12
S203	18	S202 and @ad< "20021223"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:12
S204	18	S203 not S199	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/05 17:13

S205	1	"20020052894".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/08/07 15:26
S206	1	"20040193593".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB	OR	ON	2009/08/07 15:39
S207	2	10/624345	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/07 15:59
S208	0	"A SYSTEM FOR CREATING AND MAINTAINING A DATABASE OF INFORMATION UTILIZING USER OPTIONS".ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/07 18:19
S209	36	((result hit) with (creat\$3 generat \$3 produc\$3 mak\$3 build\$3 construct\$3) with (community) with (keyword attribute key key? phrase keyphrase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/11 10:08
S210	0	((((creat\$3 generat\$3 produc\$3 mak\$3 build\$3 construct\$3) near2 (community group)) with ((based according) adj2 (keyword attribute key key? phrase keyphrase)) near3(result hit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/11 10:12
S211	35	((((creat\$3 generat\$3 produc\$3 mak\$3 build\$3 construct\$3) near2 (community group)) same ((based according) adj2 (keyword attribute key key? phrase keyphrase)) same (result hit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/11 10:13
S212	7079	((((creat\$3 generat\$3 produc\$3 mak\$3 build\$3 construct\$3) near2 (community group)) near3 (user people customer viewer))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/11 10:28
S213	416	S212 and ((community group) with (keyword attribute key key? phrase keyphrase) same (result hit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/11 10:30
S214	416	S213 and ((community group) with (keyword attribute key key? phrase keyphrase))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/11 10:31
S215	0	S213 and ((community group) same ((based according shar\$3 common) near1 (keyword attribute key key?phrase keyphrase) near3 ((searh\$3 quer \$3) near1 (hit result output))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/11 10:35

S216	3	S213 and ((community group) same ((based according shar\$3 common) near1 (keyword attribute key key?phrase keyphrase)) with (hit result))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/11 10:38
S217	318	S213 and ((community group) with((using based according shar\$3 common) with (keyword attribute key key?phrase keyphrase hit result)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/11 10:42
S218	172	S213 and ((community group) with((using based according shar\$3 common) near2 (keyword attribute key key?phrase keyphrase hit result)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/11 10:42
S219	37	S213 and ((community group) with((using based according shar\$3 common) near2 (output hit result)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/11 10:43
S220	34	S218 and S219	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/08/11 10:43

8/11/2009 2:29:57 PM

C:\Documents and Settings\HJami\My Documents\EAST\Workspaces\10658584_ResourceFinderTool.wsp